

On some erroneous comments on the literature of neutrino oscillations in the website 'Neutrino Unbound' of C.Giunti

J.H.Field

Département de Physique Nucléaire et Corpusculaire, Université de Genève
24, quai Ernest-Ansermet CH-1211Genève 4.
 E-mail: john.field@cern.ch

Abstract

A number of misleading or incorrect comments by C.Giunti on seven arXiv preprints that I have written on the theory of neutrino oscillations are discussed. The essential new features of my approach are also briefly reviewed

PACS 03.65.Ta, 14.60.Pq, 13.20.Cz

Keywords ; Quantum Mechanics, Neutrino Oscillations.

In providing and maintaining the website 'Neutrino Unbound' [1] C.Giunti is providing an enormous service to the neutrino physics community. In the comments on the literature in the 'Theory of Neutrino Oscillations' section, however, there is a mixture of personal scientific judgements on a limited sub-set of subjectively 'important' issues as well as a systematic omission of any comment on certain key contradictory arguments presented in the literature. There are also factual errors in the comments. In an e-mail exchange I had with Giunti on the subject of his webpage he claimed that, in any case, only his personal opinion was expressed. However language is sufficiently rich to discriminate clearly between a fact that one knows (e.g. that such-and-such a subject was discussed in such-and-such a paper leading to such-and-such a conclusion) and one's personal judgement of the correctness, or not, of some scientific theory. In the following I try my best to make this discrimination.

In the papers I have written recently on the subject of the basic theory of neutrino oscillations [2, 3, 4, 5, 6] I make different initial physical assumptions (the most important one of which I rediscuss at the end of this note) to those made by essentially all authors on the subject from Pontecorvo onwards. It is then not surprising that I obtain different results. These different basic assumptions that underlie my calculations are not pointed out in any of Giunti's comments on my papers. Instead it is wrongly claimed in several different places that there are 'mistakes' in my calculations. Giunti also claims in his comment on one of his own papers that the correctness of the standard formula for the oscillation phase has been 'shown', when, indeed, it has not. Only different initial assumptions are made to those in my papers and different results are obtained.

I have shown in a recent paper [5] that a clear and simple experimental test exists, comparing oscillations of neutrinos originating either from pion or kaon decays, to discriminate unambiguously between the ‘standard’ formula for the oscillation phase [7] and my predictions.

In the following, I copy *verbatim* some of the comments on the literature from ‘Neutrino Unbound’ and add my remarks to them.

The description of neutrino and muon oscillations by interfering amplitudes of classical space-time paths, Field, J. H., hep-ph/0110064. Comment: Again the factor of 2 mistake in the phase! This error has been explained in [Carlo Giunti, Chung W. Kim, Found. Phys. Lett. 14 (2001) 213-229, hep-ph/0011074]. [C.G.].

The factor 2 difference in the contribution of neutrino propagation to the oscillation phase results from the constraint of space-time geometry on the neutrino trajectories. Since the different mass eigenstates are detected at a common space-time point, travel the same distance and have different velocities, they are necessarily produced at different times in the interfering amplitudes. This assumption was not discussed in the paper of Giunti and Kim cited above. The statement ‘This error has been explained in...’ is therefore false. In fact, it is simply assumed in the paper of Giunti and Kim (in Eqn(22)) that the neutrinos have equal velocities in space-time (i.e. a common production time) but different kinematical velocities p/E . As explained in much detail in Reference [6] these manifestly incompatible assumptions (equal space-time velocities but different kinematical velocities) underestimate by a factor of 2 the contribution of neutrino propagation to the oscillation phase and result in the neglect of an important contribution to the oscillation phase from the propagator of the source particle. It is also shown in Reference [6] that the same initial assumptions, when made in the standard Gaussian wave-packet treatment, leads to the same underestimation of the oscillation phase.

A covariant path amplitude description of flavour oscillations: The Gribov-Pontecorvo phase for neutrino vacuum propagation is right, Field, J. H., hep-ph/0211199. Comment: Same as [Field, J. H., hep-ph/0110064] and [Field, J. H., hep-ph/0110066]. Mistake explained in [Carlo Giunti, Chung W. Kim, Found. Phys. Lett. 14 (2001) 213-229, hep-ph/0011074] and Giunti, C., Physica Scripta 67 (2003) 29-33, hep-ph/0202063]. The attribution of the “factor of two” mistake to Gribov and Pontecorvo is an historical aberration. The claim that the “factor of two” discrepancy in the Gribov and Pontecorvo paper [Gribov, V. N., Pontecorvo, B., Phys. Lett. B28 (1969) 493.] was unnoticed before [Field, J. H., hep-ph/0211199] is pure fantasy. The fact is that nobody speculated about it. [C.G.].

There is no ‘mistake’, unless the assumption that the space-time and kinematical velocities are the same is one. In any case, nothing is ‘explained’ in the references cited. The key assumption, that is the basis of my calculations, is not even discussed in the first of them. In the second one, it is discussed, and it is claimed that an analagous analysis of the optical Young double slit experiment excludes the possiblity of different production times. However the path amplitude analysis presented is incorrect as it does not take into account the contribution to the interference phase of the propagator of the source.

All this is explained in Reference [6].

Maybe lots of people knew about the factor 2 difference in Gribov and Pontecorvo, but, as I am not a clairvoyant, there is no way I could know this. All I said was that, as far as I know, the difference was never discussed in the literature.

The phase of neutrino oscillations, Giunti, C., Physica Scripta 67 (2003) 29-33, hep-ph/0202063. Comment: It is shown that the standard phase of neutrino oscillations is correct, refuting the claims of a factor of two correction presented in [S. De Leo, G. Ducati, P. Rotelli, Mod. Phys. Lett. A15 (2000) 2057-2068, hep-ph/9906460, Field, J. H., hep-ph/0110064., Field, J. H., hep-ph/0110066.]. The wave packet treatment of neutrino oscillations presented in [C. Giunti, C. W. Kim, U. W. Lee, Phys. Rev. D44 (1991) 3635-3640, C. Giunti, C. W. Kim, Phys. Rev. D58 (1998) 017301, hep-ph/9711363.] is improved taking into account explicitly the finite coherence time of the detection process.

The argument given in this paper to refute the results obtained in my papers, as cited above, is based on an incorrect path-amplitude analysis of the Young double slit experiment in optics. This analysis is discussed in Reference [6] . In Giunti's comment on this paper (see above) there is no mention that his analysis has been shown in it to be incorrect, and that the correct one gives the same result as the classical wave theory of light. In any case, it is not possible 'That it is shown that the standard phase of neutrino oscillations is correct'. One can only discuss the correctness, or not, of the mathematical derivation given some initial set of physical assumptions. To prove the correctness of the result, that of the initial assumptions must also be demonstrated. In all papers, authored or co-authored by Giunti, this initial assumption is that the different mass eigenstates have different kinematical velocities but the same space-time velocity. This assumption has never been proved. My personal opinion is that the assumption is incorrect, but I cannot prove this. The experiment I suggested in Reference [5] can, however, resolve, unambiguously, this question.

Coherence in Neutrino Interactions, C. Giunti, hep-ph/0302045. From the abstract: The claim in [Field, J. H., hep-ph/0301231.] is refuted in a pedagogical way.

As shown in Reference [2] the modification proposed in this paper to the Standard Model amplitude for pion decay avoids the experimental constraint of Reference [5] demonstrating the incoherence of the production of different mass eigenstates in pion decay, but also forbids the possibility of neutrino oscillations following pion decay! The derivation of the standard oscillation phase requires, instead, coherent production of the different mass eigenstates. Since neutrino oscillations following pion decay apparently exist, the predictions of this paper are experimentally excluded, so that it cannot, in any way, 'refute' the results of Reference [5]. Giunti's only comment on Reference [2] is a quotation from the Bible, the meaning and relevance of which is unclear to me.

The crucial assumption that distinguishes my treatment of the quantum mechanics of neutrino oscillations from all of the papers cited in the section 'Theory of Neutrino Oscillations' of 'Neutrino Unbound' (with the exception of Reference [8]) is that mentioned above in connection with Giunti's comments on my paper hep-ph/0110064. (now

superseded by hep-ph/0303151). This is the condition that the velocities of the neutrino mass eigenstates are described consistently both kinematically, and in space-time. That is to say that the neutrinos propagate over macroscopic distances as classical particles. Such an assumption is fundamental to Feynman's path amplitude formulation of quantum mechanics. To each such classical trajectory corresponds a probability amplitude. That the Feynman path amplitude description gives a correct quantitative description of nature has been demonstrated in many atomic physics experiments involving space-time interference effects, some of which are discussed in Reference [4].

The universal assumption that is made when the 'standard' oscillation phase is derived is that the different neutrino eigenstates are produced at a unique time since they are assumed to be different components of a coherent 'lepton flavour eigenstate'. As first pointed out by Shrock [9], in the Standard Model the different mass eigenstates are actually produced *incoherently* in different physical processes, and so not necessarily at the same time, which is the case when a coherent state is produced. It is shown in Reference [5] that the production of such a coherent state in pion decay is excluded by the measured e/μ branching ratio.

The other important point where my approach differs from many of the other treatments in the literature is in the importance accorded to the introduction of *ad hoc* Gaussian 'wave-packets' in the description of neutrino oscillations. An in-depth criticism of such approaches is presented in Reference [6]. In a later paper on the same subject by Giunti [10] not only were no counter arguments to my criticisms given, but my paper was not even cited! As discussed in Reference [4] there are indeed momentum wave packets in the exact path amplitude description of pion decay due to the unobserved smearing of the physical mass of the recoiling muon. The effect on the formula for the oscillation phase is, however, completely negligible.

Another subject that has caused much ink to flow and contradictory positions to be adopted is the role of different assumptions concerning the calculation of the kinematical velocities of the neutrinos: exact energy-momentum conservation, equal momenta or equal energies. It is pointed out in Reference [6] that the same result, at $O(m^2)$, is obtained whatever assumption is made, so that unless $O(m^4)$ corrections to the oscillation phase are of interest, this debate is an irrelevant one.

References

- [1] C.Giunti, <http://www.to.infn.it/~giunti/NU/>
- [2] J.H.Field, *A comment on the paper 'Coherence in Neutrino Oscillations' by C.Giunti. Either lepton flavour eigenstates or neutrino oscillations do not exist*, hep-ph/0303241.
- [3] J.H.Field, *Quantum interference effects in the detection probability of charged leptons produced in charged current weak interactions*, hep-ph/0303152. Revised and corrected version of hep-ph/0110066.
- [4] J.H.Field, *Spatially dependent quantum interference effects in the detection probability of charged leptons produced in neutrino interactions or weak decay processes*, hep-ph/0303151. Revised and corrected version of hep-ph/0110064.

- [5] J.H.Field, *Lepton flavour eigenstates do not exist if neutrinos are massive: 'Neutrino oscillations' reconsidered*, hep-ph/0301231.
- [6] J.H.Field, *A covariant path amplitude description of flavour oscillations: The Gribov-Pontecorvo phase for neutrino vacuum propagation is right*, hep-ph/0211199. Accepted for publication by European Physical Journal C.
- [7] B.Kayser, *Neutrino Physics as Explored by Flavour Change*, in Phys. Rev. **D66** 010001 (2002) (Review of Particle Properties).
- [8] S.De Leo, G.Ducati, P.Rotelli, *Comments upon the mass oscillation formulas*, Mod. Phys. Lett. **A15** 2057 (2000).
- [9] R.E.Shrock, *New tests for and bounds on neutrino masses and lepton mixing*, Phys. Lett. **B96** 159 (1980);
R.E.Shrock, *General theory of weak process involving neutrinos I. Leptonic pseudoscalar meson decays with associated tests for, and bounds on, neutrino masses and lepton mixing*, Phys. Rev. **D24** 1232 (1981);
R.E.Shrock, *General theory of weak process involving neutrinos II, Pure leptonic decays*, Phys. Rev **D24** 1275 (1981).
- [10] C.Giunti, *Coherence and Wave Packets in Neutrino Oscillations*, hep-ph/0302026.